

## 兔抗 WDR11 多克隆抗体

中文名称：兔抗 WDR11 多克隆抗体

英文名称：Anti-WDR11 rabbit polyclonal antibody

级 别：DR11; HH14; BRWD2; WDR15

储 存：冷冻（-20℃）

抗 原：WDR11

宿 主：Rabbit

反应种属：Human

相关类别：一抗

标 记 物：Unconjugate

克隆类型：rabbit polyclonal

### 技术规格

**Background:**

This gene encodes a member of the WD repeat protein family. WD repeats are minimally conserved regions of approximately 40 amino acids typically bracketed by gly-his and trp-asp (GH-WD), which may facilitate formation of heterotrimeric or multiprotein complexes. Members of this family are involved in a variety of cellular processes, including cell cycle progression, signal transduction, apoptosis, and gene regulation. This gene is located in the chromosome 10q25-26 region, which is frequently deleted in gliomas and tumors of other tissues, and is disrupted by the t(10;19) translocation rearrangement in glioblastoma cells. The gene location suggests that it is a candidate gene for the tumor suppre

	ssor locus.
<b>Applications:</b>	ELISA, IHC
<b>Name of antibody:</b>	WDR11
<b>Immunogen:</b>	Synthetic peptide of human WDR11
<b>Full name:</b>	WD repeat domain 11
<b>Synonyms:</b>	DR11; HH14; BRWD2; WDR15
<b>SwissProt:</b>	Q9BZH6
<b>ELISA Recommended dilution:</b>	5000-10000
<b>IHC positive control:</b>	Human ovarian cancer and human tonsil
<b>IHC Recommend dilution:</b>	25-100



